Author Index

Ackman, R. G., see Shantha, N. C. 533(1990)1
Andersson, H. C., see Blom, H. J. 533(1990)11
Andriollo, O., Lartigue-Mattei, C., Chabard, J. L., Galmier, M. J., Bargnoux, H., Petit, J., Berger, J. A. and Pognat, J. F.
Assay of *m*-chlorophenylpiperazine in plasma and brain of rat by capillary gas chromatography–mass spectrometry 533(1990)215
Avgerinos, A. and Malamataris, S.
High-performance liquid chromatographic determination of niflumic acid in human plasma and urine 533(1990)271
Barbhaiya, R. H., see Knupp, C. A. 533(1990)282
Barenton, B., see Straczek, J. 533(1990)35
Bargnoux, H., see Andriollo, O. 533(1990)215
Beemer, G. H., see Bjorksten, A. R. 533(1990)241
Belleville, F., see Straczek, J. 533(1990)35
Bennett, T. L., see Wiley, D. M. 533(1990)73
Berger, J. A., see Andriollo, O. 533(1990)215
Bigelow, J. C., Chrin, L. R., Mathews, L. A. and McCormack, J. J.
High-performance liquid chromatographic analysis of phosphorothioate analogues of oligodeoxynucleotides in biological fluids 533(1990)133
Björk, M., Pettersson, K.-J. and Österlöf, G.
Capillary gas chromatographic method for the simultaneous determination of local anaesthetics in plasma samples 533(1990)229
Bjorksten, A. R., Beemer, G. H. and Crankshaw, D. P.
Simple high-performance liquid chromatographic method for the analysis of the non-depolarizing neuromuscular blocking drugs in clinical anaesthesia 533(1990)241
Blanchard, M., see Straczek, J. 533(1990)35
Blom, H. J., Andersson, H. C., Krasnewich, D. M. and Gahl, W. A.
Pulsed amperometric detection of carbohydrates in lysosomal storage disease fibroblasts: a new screening technique for carbohydrate storage diseases 533(1990)11
Bodenan, S., Paillet, M. and Christen, M. O.
Rapid determination of xipamide in human plasma and urine by high-performance liquid chromatography 533(1990)275
Bogaert, M. G., see Rosseel, M. T. 533(1990)224
Bradová, V., Šmid, F., Ledvinová, J. and Michalec, Č.
Improved one-dimensional thin-layer chromatography for the separation of phospholipids in biological material 533(1990)297
Brasitus, T. A., see Halline, A. G. 533(1990)187
Brondz, I. and Carlsson, J.
Cellular fatty acids of *Bacteroides forsythus* 533(1990)141
Brondz, I. and Olsen, I.
Fatty acid contents of the yeast and mycelial phase of *Candida albicans* 533(1990)152
Brownlee, R. G., Sunzeri, F. J. and Busch, M. P.
Application of capillary DNA chromatography to detect AIDS virus (HIV-1) DNA in blood 533(1990)87
Busch, M. P., see Brownlee, R. G. 533(1990)87
Carlsson, J., see Brondz, I. 533(1990)141
Chabard, J. L., see Andriollo, O. 533(1990)215
Charrier, J., see Straczek, J. 533(1990)35
Chenut, A. M., see Straczek, J. 533(1990)35
Chrin, L. R., see Bigelow, J. C. 533(1990)133
Christen, M. O., see Bodenan, S. 533(1990)275
Christensen, S. and Harbak, H.
Serial separation of inositol phosphates including pentakis- and hexakisphosphates on small anion-exchange columns 533(1990)201
Cramer, H., see Rissler, K. 533(1990)179
Crankshaw, D. P., see Bjorksten, A. R. 533(1990)241
Damani, L. A., see Stevenson, P. J. 533(1990)248
Denoroy, L., see Straczek, J. 533(1990)35
Enoki, Y., Ohga, Y., Nagano, R. and Matsumura, K.
Efficient method of haemoglobin F enrichment in adult haemolysate for determination of the γ-chain isoforms by high-performance liquid chromatography 533(1990)63
Finley, B. E., see Wiley, D. M. 533(1990)73
Flapper, W., Theeuwes, A. G. M., Kierkels, J. T. G., Steenbergen, J. and Hoenders, H. J.
Separation of serum proteins by high-performance gel-permeation column systems 533(1990)47
Foster, R. T., see Piquette-Miller, M. 533(1990)300
Gahl, W. A., see Blom, H. J. 533(1990)11
Galmier, M. J., see Andriollo, O. 533(1990)215
Greig, N. H., see Phelan, D. G. 533(1990)264

Hada, T., see Ikarashi, Y. 533(1990)23
Halline, A. G. and Brasitus, T. A.
Reversed-phase high-performance liquid chromatographic method for the measurement of polyamine oxidase activity 533(1990)187
Harbak, H., see Christensen, S. 533(1990)201
Hart, R. W., see Martinez, G. 533(1990)235
Hauksdottir, R., see Stevenson, P. J. 533(1990)248
Herzogová, G., see Hušek, P. 533(1990)166
Hesse, W. H., Schweer, H., Seyberth, H. W. and Peskar, B. A.
Separation and determination of prostaglandin E_1 metabolites by high-performance liquid chromatography 533(1990)159
Heulin, M. H., see Straczek, J. 533(1990)35
Higuchi, S., see Soeishi, Y. 533(1990)291
Hill, H. M., see Martinez, G. 533(1990)235
Hoenders, H. J., see Flapper, W. 533(1990)47
Houle, J. M., see Martinez, G. 533(1990)235
Hušek, P., Malíková, J. and Herzogová, G.
Determination of plasma catecholamines via condensation with diphenylethylenediamine: simplification of the procedure 533(1990)166
Huyghens, L., see Rosseel, M. T. 533(1990)224
Ikarashi, Y., Hada, T., Way, E. L. and Maruyama, Y.
Determination of succinylcholine hydrolytic enzyme activity in human plasma 533(1990)23
Ikemoto, S., see Kajii, E. 533(1990)207
Ishizaki, T., see Kubota, K. 533(1990)255
Iwamoto, S., see Kajii, E. 533(1990)207
Kadaba, P. K., see Stevenson, P. J. 533(1990)248
Kajii, E., Iwamoto, S. and Ikemoto, S.
Chronic myelogenous leukaemia-associated polypeptide in platelets detected by two-dimensional polyacrylamide gel electrophoresis 533(1990)207
Kawachi, M., see Niwa, T. 533(1990)145
Kazemifard, A. G. and Moore, D. E.
Liquid chromatography with amperometric detection for the determination of non-steroidal anti-inflammatory drugs in plasma 533(1990)125
Kierkels, J. T. G., see Flapper, W. 533(1990)47
Kikuchi, K., see Kubota, K. 533(1990)255
Knupp, C. A., Stancato, F. A., Papp, E. A. and Barbhaiya, R. H.
Quantitation of didanosine in human plasma and urine by high-performance liquid chromatography 533(1990)282
Kobayashi, S.-I., see Soeishi, Y. 533(1990)291
Kobori, M., see Soeishi, Y. 533(1990)291
Koning, H., Wolf, H., Venema, K. and Korf, J.
Automated precolumn derivatization of amino acids, small peptides, brain amines and drugs with primary amino groups for reversed-phase high-performance liquid chromatography using naphthalenedialdehyde as the fluorogenic label 533(1990)171
Korf, J., see Koning, H. 533(1990)171
Koyama, E., see Kubota, K. 533(1990)255
Krasnewich, D. M., see Blom, H. J. 533(1990)11
Kubota, K., Nakamura, H., Koyama, E., Yamada, T., Kikuchi, K. and Ishizaki, T.
Simple and sensitive determination of timolol in human plasma and urine by high-performance liquid chromatography with ultraviolet detection 533(1990)255
Lang, J. R., see Martinez, G. 533(1990)235
Lartigue-Mattei, C., see Andriollo, O. 533(1990)215
Ledvinová, J., see Bradová, V. 533(1990)297
Lessard, D., see Martinez, G. 533(1990)235
Lillsunde, P. and Seppälä, T.
Simultaneous screening and quantitative analysis of benzodiazepines by dual-channel gas chromatography using electron-capture and nitrogen–phosphorus detection 533(1990)97
Maguire, M. H., see Wiley, D. M. 533(1990)73
Malamataris, S., see Avgerinos, A. 533(1990)271
Malíková, J., see Hušek, P. 533(1990)166
Martal, J., see Straczek, J. 533(1990)35
Martinez, G., Hart, R. W., Hill, H. M., Lang, J. R., Lessard, D. and Houle, J. M.
Determination of loxtidine in human serum by capillary column gas chromatography with nitrogen–phosphorus detection 533(1990)235
Maruyama, Y., see Ikarashi, Y. 533(1990)23
Mathews, L. A., see Bigelow, J. C. 533(1990)133
Matsumura, K., see Enoki, Y. 533(1990)63
Matsuura, S., see Niwa, T. 533(1990)145
McCormack, J. J., see Bigelow, J. C. 533(1990)133
Michalec, Č., see Bradová, V. 533(1990)297
Mohammad, T. and Morrison, H.
Rapid analysis of small molecules in the presence of DNA by high-performance liquid chromatography using internal surface reversed-phase silica 533(1990)195
Moore, D. E., see Kazemifard, A. G. 533(1990)125
Morrison, H., see Mohammad, T. 533(1990)195

Nabet, P., see Straczek, J. 533(1990)35
Nagano, R., see Enoki, Y. 533(1990)63
Nagatsu, T., see Niwa, T. 533(1990)145
Nakamura, H., see Kubota, K. 533(1990)255
Naoi, M., see Niwa, T. 533(1990)145
Niwa, T., Yoshizumi, H., Tatematsu, A., Matsuura, S., Yoshida, M., Kawachi, M., Naoi, M. and Nagatsu, T.
Endogenous synthesis of N-methyl-1,2,3,4-tetrahydroisoquinoline, a precursor of N-methylisoquinolinium ion, in the brains of primates with parkinsonism after systemic administration of 1,2,3,4-tetrahydroisoquinoline 533(1990)145
Ohga, Y., see Enoki, Y. 533(1990)63
Olsen, I., see Brondz, I. 533(1990)152
Österlöf, G., see Björk, M. 533(1990)229
Paillet, M., see Bodenan, S. 533(1990)275
Papp, E. A., see Knupp, C. A. 533(1990)282
Peskar, B. A., see Hesse, W. H. 533(1990)159
Petit, J., see Andriollo, O. 533(1990)215
Pettersson, K.-J., see Björk, M. 533(1990)229
Phelan, D. G., Greig, N. H., Rapoport, S. I. and Soncrant, T. T.
High-performance liquid chromatographic assay of bromocriptine in rat plasma and brain 533(1990)264
Piquette-Miller, M. and Foster, R. T.
High-performance liquid chromatographic determination of diacetolol enantiomers 533(1990)300
Pognat, J. F., see Andriollo, O. 533(1990)215
Rapoport, S. I., see Phelan, D. G. 533(1990)264
Reigner, B. G., Rigod, J. F. and Tozer, T. N.
Simultaneous assay of pentachlorophenol and its metabolite, tetrachlorohydroquinone, by gas chromatography without derivatization 533(1990)111
Rigod, J. F., see Reigner, B. G. 533(1990)111
Rissler, K. and Cramer, H.
High-performance liquid chromatographic separation of tachykinins using Tris–phosphate as the buffer component of the mobile phase 533(1990)179
Rosseel, M. T., Bogaert, M. G. and Huyghens, L.
Determination of the calcium antagonist nimodipine in plasma by capillary gas chromatography and nitrogen detection 533(1990)224
Schweer, H., see Hesse, W. H. 533(1990)159
Seppälä, T., see Lillsunde, P. 533(1990)97
Seyberth, H. W., see Hesse, W. H. 533(1990)159
Shantha, N. C. and Ackman, R. G.
Nervonic acid *versus* tricosanoic acid as internal standards in quantitative gas chromatographic analyses of fish oil longer-chain $n-3$ polyunsaturated fatty acid methyl esters 533(1990)1
Šmid, F., see Bradová, V. 533(1990)297
Soeishi, Y., Kobori, M., Kobayashi, S.-I. and Higuchi, S.
Sensitive method for the determination of amsulosin in human plasma using high-performance liquid chromatography with fluorescence detection 533(1990)291
Soncrant, T. T., see Phelan, D. G. 533(1990)264
Stancato, F. A., see Knupp, C. A. 533(1990)282
Steenbergen, J., see Flapper, W. 533(1990)47
Stevenson, P. J., Hauksdottir, R., Kadaba, P. K. and Damani, L. A.
Triazolines. XXII. Chromatography of 1-phenyl-5-(4-pyridyl)-Δ^2-1,2,3-triazolines and related 1,2,3-triazoles, a new class of anticonsulvant agents 533(1990)248
Straczek, J., Heulin, M. H., Chenut, A. M., Belleville, F., Nabet, P., Denoroy, L., Barenton, B., Blanchard, M., Charrier, J. and Martal, J.
Application of preparative high-performance liquid chromatography to the purification of a fetal ovine insulin-like growth factor II: N-terminal sequence determinations using two different carriers 533(1990)35
Sunzeri, F. J., see Brownlee, R. G. 533(1990)87
Szabo, I., see Wiley, D. M. 533(1990)73
Tatematsu, A., see Niwa, T. 533(1990)145
Theeuwes, A. G. M., see Flapper, W. 533(1990)47
Tozer, T. N., see Reigner, B. G. 533(1990)111
Venema, K., see Koning, H. 533(1990)171
Way, E. L., see Ikarashi, Y. 533(1990)23
Wiley, D. M., Szabo, I., Maguire, M. H., Finley, B. E. and Bennett, T. L.
Measurement of hypoxanthine and xanthine in late-gestation human amniotic fluid by reversed-phase high-performance liquid chromatography with photodiode-array detection 533(1990)73
Wolf, H., see Koning, H. 533(1990)171
Yamada, T., see Kubota, K. 533(1990)255
Yoshida, M., see Niwa, T. 533(1990)145
Yoshizumi, H., see Niwa, T. 533(1990)145

Compound Index

Acetylcholine
Determination of succinylcholine hydrolytic enzyme activity in human plasma 533(1990)23

ADD17014
Triazolines. XXII. Chromatography of 1-phenyl-5-(4-pyridyl)-Δ^2-1,2,3-triazolines and related 1,2,3-triazoles, a new class of anticonsulvant agents 533(1990)248

Alcuronium
Simple high-performance liquid chromatographic method for the analysis of the non-depolarizing neuromuscular blocking drugs in clinical anaesthesia 533(1990)241

Amino acids
Application of preparative high-performance liquid chromatography to the purification of a fetal ovine insulin-like growth factor II: N-terminal sequence determinations using two different carriers 533(1990)35

Automated precolumn derivatization of amino acids, small peptides, brain amines and drugs with primary amino groups for reversed-phase high-performance liquid chromatography using naphthalenedialdehyde as the fluorogenic label 533(1990)171

Amsulosin
Sensitive method for the determination of amsulosin in human plasma using high-performance liquid chromatography with fluorescence detection 533(1990)291

Atracurium
Simple high-performance liquid chromatographic method for the analysis of the non-depolarizing neuromuscular blocking drugs in clinical anaesthesia 533(1990)241

Aziridine
Triazolines. XXII. Chromatography of 1-phenyl-5-(4-pyridyl)-Δ^2-1,2,3-triazolines and related 1,2,3-triazoles, a new class of anticonsulvant agents 533(1990)248

Bacteroides forsythus
Cellular fatty acids of *Bacteroides forsythus* 533(1990)141

Benzodiazepines
Simultaneous screening and quantitative analysis of benzodiazepines by dual-channel gas chromatography using electron-capture and nitrogen–phosphorus detection 533(1990)97

Brain amines
Automated precolumn derivatization of amino acids, small peptides, brain amines and drugs with primary amino groups for reversed-phase high-performance liquid chromatography using naphthalenedialdehyde as the fluorogenic label 533(1990)171

Bromocriptine
High-performance liquid chromatographic assay of bromocriptine in rat plasma and brain 533(1990)264

Bupivacaine
Capillary gas chromatographic method for the simultaneous determination of local anaesthetics in plasma samples 533(1990)229

Candida albicans
Fatty acid contents of the yeast and mycelial phase of *Candida albicans* 533(1990)152

Catecholamines
Determination of plasma catecholamines via condensation with diphenylethylenediamine: simplification of the procedure 533(1990)166

***m*-Chlorophenylpiperazine**
Assay of *m*-chlorophenylpiperazine in plasma and brain of rat by capillary gas chromatography–mass spectrometry 533(1990)215

Choline
Determination of succinylcholine hydrolytic enzyme activity in human plasma 533(1990)23

Diacetolol
High-performance liquid chromatographic determination of diacetolol enantiomers 533(1990)300

Didanosine
Quantitation of didanosine in human plasma and urine by high-performance liquid chromatography 533(1990)282

Diflunisal
Liquid chromatography with amperometric detection for the determination of non-steroidal anti-inflammatory drugs in plasma 533(1990)125

DNA
Application of capillary DNA chromatography to detect AIDS virus (HIV-1) DNA in blood 533(1990)87

Rapid analysis of small molecules in the presence of DNA by high-performance liquid chromatography using internal surface reversed-phase silica 533(1990)195

Docosahexaenoic acid
Nervonic acid *versus* tricosanoic acid as internal standards in quantitative gas chromatographic analyses of fish oil longer-chain $n-3$ polyunsaturated fatty acid methyl esters 533(1990)1

Dopamine
Determination of plasma catecholamines via condensation with diphenylethylenediamine: simplification of the procedure 533(1990)166

Drugs
Automated precolumn derivatization of amino acids, small peptides, brain amines and drugs with primary amino groups for reversed-phase high-performance liquid chromatography using naphthalenedialdehyde as the fluorogenic label 533(1990)171

Eicosapentaenoic acid
Nervonic acid *versus* tricosanoic acid as internal standards in quantitative gas chromatographic analyses of fish oil longer-chain $n-3$ polyunsaturated fatty acid methyl esters 533(1990)1

Enzymes
Determination of succinylcholine hydrolytic enzyme activity in human plasma 533(1990)23

Reversed-phase high-performance liquid chromatographic method for the measurement of polyamine oxidase activity 533(1990)187

Epinephrine
Determination of plasma catecholamines via condensation with diphenylethylenediamine: simplification of the procedure 533(1990)166

Fatty acids
Cellular fatty acids of *Bacteroides forsythus* 533(1990)141

Fatty acid contents of the yeast and mycelial phase of *Candida albicans* 533(1990)152

Glycosaminoglycans
Pulsed amperometric detection of carbohydrates in lysosomal storage disease fibroblasts: a new screening technique for carbohydrate storage diseases 533(1990)11

Haemoglobin F
Efficient method of haemoglobin F enrichment in adult haemolysate for determination of the γ-chain isoforms by high-performance liquid chromatography 533(1990)63

Human immunodeficiency virus
Quantitation of didanosine in human plasma and urine by high-performance liquid chromatography 533(1990)282

Human immunodeficiency virus, type 1
Application of capillary DNA chromatography to detect AIDS virus (HIV-1) DNA in blood 533(1990)87

Hypoxanthine
Measurement of hypoxanthine and xanthine in late-gestation human amniotic fluid by reversed-phase high-performance liquid chromatography with photodiode-array detection 533(1990)73

Imine
Triazolines. XXII. Chromatography of 1-phenyl-5-(4-pyridyl)-Δ^2-1,2,3-triazolines and related 1,2,3-triazoles, a new class of anticonsulvant agents 533(1990)248

Indoleacrylic acid
Rapid analysis of small molecules in the presence of DNA by high-performance liquid chromatography using internal surface reversed-phase silica 533(1990)195

Indomethacin
Liquid chromatography with amperometric detection for the determination of non-steroidal anti-inflammatory drugs in plasma 533(1990)125

Inositol hexakisphosphate
Serial separation of inositol phosphates including pentakis- and hexakisphosphates on small anion-exchange columns 533(1990)201

Inositol pentakisphosphate
Serial separation of inositol phosphates including pentakis- and hexakisphosphates on small anion-exchange columns 533(1990)201

Inositol phosphates
Serial separation of inositol phosphates including pentakis- and hexakisphosphates on small anion-exchange columns 533(1990)201

Insuline-like growth factor II
Application of preparative high-performance liquid chromatography to the purification of a fetal ovine insulin-like growth factor II: N-terminal sequence determinations using two different carriers 533(1990)35

Lidocaine
Capillary gas chromatographic method for the simultaneous determination of local anaesthetics in plasma samples 533(1990)229

Loxtidine
Determination of loxtidine in human serum by capillary column gas chromatography with nitrogen–phosphorus detection 533(1990)235

Mepivacaine
Capillary gas chromatographic method for the simultaneous determination of local anaesthetics in plasma samples 533(1990)229

***p*-Methoxycinnamic acid**
Rapid analysis of small molecules in the presence of DNA by high-performance liquid chromatography using internal surface reversed-phase silica 533(1990)195

N-Methylisoquinolinium ion
Endogenous synthesis of N-methyl-1,2,3,4-tetrahydroisoquinoline, a precursor of N-methylisoquinolinium ion, in the brains of primates with parkinsonism after systemic administration of 1,2,3,4-tetrahydroisoquinoline 533(1990)145

N-Methyl-1,2,3,4-tetrahydroisoquinoline
Endogenous synthesis of N-methyl-1,2,3,4-tetrahydroisoquinoline, a precursor of N-methylisoquinolinium ion, in the brains of primates with parkinsonism after systemic administration of 1,2,3,4-tetrahydroisoquinoline 533(1990)145

Metocurine
Simple high-performance liquid chromatographic method for the analysis of the non-depolarizing neuromuscular blocking drugs in clinical anaesthesia 533(1990)241

Monosaccharides
Pulsed amperometric detection of carbohydrates in lysosomal storage disease fibroblasts: a new screening technique for carbohydrate storage diseases 533(1990)11

Mucopolysaccharidoses
Pulsed amperometric detection of carbohydrates in lysosomal storage disease fibroblasts: a new screening technique for carbohydrate storage diseases 533(1990)11

Naproxen
Liquid chromatography with amperometric detection for the determination of non-steroidal anti-inflammatory drugs in plasma 533(1990)125

Nervonic acid
Nervonic acid *versus* tricosanoic acid as internal standards in quantitative gas chromatographic analyses of fish oil longer-chain $n-3$ polyunsaturated fatty acid methyl esters 533(1990)1

Niflumic acid
High-performance liquid chromatographic determination of niflumic acid in human plasma and urine 533(1990)271

Nimodipine
Determination of the calcium antagonist nimodipine in plasma by capillary gas chromatography and nitrogen detection 533(1990)224

Norepinephrine
Determination of plasma catecholamines via condensation with diphenylethylenediamine: simplification of the procedure 533(1990)166

Nucleosides
Quantitation of didanosine in human plasma and urine by high-performance liquid chromatography 533(1990)282

Nucleotides
Measurement of hypoxanthine and xanthine in late-gestation human amniotic fluid by reversed-phase high-performance liquid chromatography with photodiode-array detection 533(1990)73

Oligodeoxynucleotides
High-performance liquid chromatographic analysis of phosphorothioate analogues of oligodeoxynucleotides in biological fluids 533(1990)133

Pancuronium
Simple high-performance liquid chromatographic method for the analysis of the non-depolarizing neuromuscular blocking drugs in clinical anaesthesia 533(1990)241

Pentachlorophenol
Simultaneous assay of pentachlorophenol and its metabolite, tetrachlorohydroquinone, by gas chromatography without derivatization 533(1990)111

Peptides
Automated precolumn derivatization of amino acids, small peptides, brain amines and drugs with primary amino groups for reversed-phase high-performance liquid chromatography using naphthalenedialdehyde as the fluorogenic label 533(1990)171

Phospholipids
Improved one-dimensional thin-layer chromatography for the separation of phospholipids in biological material 533(1990)297

Phosphorothioate oligodeoxynucleotides
High-performance liquid chromatographic analysis of phosphorothioate analogues of oligodeoxynucleotides in biological fluids 533(1990)133

Piroxicam
Liquid chromatography with amperometric detection for the determination of non-steroidal anti-inflammatory drugs in plasma 533(1990)125

Polyamine oxidase
Reversed-phase high-performance liquid chromatographic method for the measurement of polyamine oxidase activity 533(1990)187

Polypeptides
Application of preparative high-performance liquid chromatography to the purification of a fetal ovine insulin-like growth factor II: N-terminal sequence determinations using two different carriers 533(1990)35
Chronic myelogenous leukaemia-associated polypeptide in platelets detected by two-dimensional polyacrylamide gel electrophoresis 533(1990)207

Polyunsaturated fatty acids
Nervonic acid *versus* tricosanoic acid as internal standards in quantitative gas chromatographic analyses of fish oil longer-chain $n-3$ polyunsaturated fatty acid methyl esters 533(1990)1

Prilocaine
Capillary gas chromatographic method for the simultaneous determination of local anaesthetics in plasma samples 533(1990)229

Prostaglandin E_2
Separation and determination of prostaglandin E_1 metabolites by high-performance liquid chromatography 533(1990)159

Proteins
Separation of serum proteins by high-performance gel-permeation column systems 533(1990)47

Ropivacaine
Capillary gas chromatographic method for the simultaneous determination of local anaesthetics in plasma samples 533(1990)229

Somatomedins
Application of preparative high-performance liquid chromatography to the purification of a fetal ovine insulin-like growth factor II: N-terminal sequence determinations using two different carriers 533(1990)35

Succinylcholine
Determination of succinylcholine hydrolytic enzyme activity in human plasma 533(1990)23

Succinylcholine hydrolytic enzyme
Determination of succinylcholine hydrolytic enzyme activity in human plasma 533(1990)23

Sulindac
Liquid chromatography with amperometric detection for the determination of non-steroidal anti-inflammatory drugs in plasma 533(1990)125

Tachykinins
High-performance liquid chromatographic separation of tachykinins using Tris–phosphate as the buffer component of the mobile phase 533(1990)179

Tetrachlorohydroquinone
Simultaneous assay of pentachlorophenol and its metabolite, tetrachlorohydroquinone, by gas chromatography without derivatization 533(1990)111

1,2,3,4-Tetraisoquinoline
Endogenous synthesis of N-methyl-1,2,3,4-tetrahydroisoquinoline, a precursor of N-methylisoquinolinium ion, in the brains of primates with parkinsonism after systemic administration of 1,2,3,4-tetrahydroisoquinoline 533(1990)145

Timolol
Simple and sensitive determination of timolol in human plasma and urine by high-performance liquid chromatography with ultraviolet detection 533(1990)255

Triazole
Triazolines. XXII. Chromatography of 1-phenyl-5-(4-pyridyl)-Δ^2-1,2,3-triazolines and related 1,2,3-triazoles, a new class of anticonsulvant agents 533(1990)248

Triazolines
Triazolines. XXII. Chromatography of 1-phenyl-5-(4-pyridyl)-Δ^2-1,2,3-triazolines and related 1,2,3-triazoles, a new class of anticonsulvant agents 533(1990)248

Tricosanoic acid
Nervonic acid *versus* tricosanoic acid as internal standards in quantitative gas chromatographic analyses of fish oil longer-chain $n-3$ polyunsaturated fatty acid methyl esters 533(1990)1

***d*-Tubocurarine**
Simple high-performance liquid chromatographic method for the analysis of the non-depolarizing neuromuscular blocking drugs in clinical anaesthesia 533(1990)241

Urocanic acid
Rapid analysis of small molecules in the presence of DNA by high-performance liquid chromatography using internal surface reversed-phase silica 533(1990)195

Vecuronium
Simple high-performance liquid chromatographic method for the analysis of the non-depolarizing neuromuscular blocking drugs in clinical anaesthesia 533(1990)241

Xanthine
Measurement of hypoxanthine and xanthine in late-gestation human amniotic fluid by reversed-phase high-performance liquid chromatography with photodiode-array detection 533(1990)73

Xipamide
Rapid determination of xipamide in human plasma and urine by high-performance liquid chromatography 533(1990)275